

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1198	(118/723e).CCLS.	USPAT; USOCR	OR	OFF	2008/06/23 03:07
S2	440	S1 and ((protect\$3 insulat\$3 dielectric) with (sheet film))	USPAT	OR	ON	2008/06/23 03:08
S3	1	"6489585".pn.	USPAT	OR	OFF	2008/06/23 12:30
S4	1	"5652029".pn.	USPAT	OR	OFF	2008/06/23 12:31
S5	1	"2003155571"	JPO	OR	OFF	2008/06/23 12:32
S6	1	"2001102199"	JPO	OR	OFF	2008/06/23 12:33
S8	1	"2003142298"	JPO	OR	OFF	2008/06/23 12:34
S9	1	"2002339075"	JPO	OR	OFF	2008/06/23 12:34
S10	1199	(118/723e).CCLS.	USPAT; USOCR	OR	OFF	2008/06/25 10:56
S11	87	S10 and ((protect\$3 cover\$3) with (sheet film) with (electrode cathode anode))	USPAT	OR	ON	2008/06/25 10:56
S12	441	S10 and ((protect\$3 insulat\$3 dielectric) with (sheet film))	USPAT	OR	ON	2008/06/25 10:56
S13	6	S11 not S12	USPAT	OR	ON	2008/06/25 10:56
S14	20983	((protect\$3 cover\$3) with (sheet film coat\$3) with (electrode cathode anode))	JPO	OR	ON	2008/06/25 11:15
S15	1199	(118/723e).CCLS.	USPAT; USOCR	OR	OFF	2008/06/25 11:44
S16	0	S15 and ((protect\$3 insulat\$3 dielectric) with (sheet film))	US-PGPUB	OR	ON	2008/06/25 11:44
S17	1199	(118/723e).CCLS.	USPAT; USOCR	OR	OFF	2008/06/25 11:44
S18	0	S17 and ((protect\$3 cover\$3) with (sheet film) with (electrode cathode anode))	US-PGPUB	OR	ON	2008/06/25 11:44

S19	27154	((protect\$3 cover\$3) with (dielectric insulat\$3 sheet film coat\$3) with (electrode cathode anode))	JPO	OR	ON	2008/06/25 13:33
S20	410493	h011021\$.ipc. c23c016\$.ipc.	JPO	OR	ON	2008/06/25 13:34
S21	7398	S19 and S20	JPO	OR	ON	2008/06/25 13:34
S22	214	S21 and (mechanical\$2 mov\$4 translat\$3 convey\$3 belt\$4 roll\$3)	JPO	OR	ON	2008/06/25 13:36
S23	1171	((protect\$3 cover\$3) with (dielectric insulat\$3 sheet film coat\$3) with (electrode cathode anode) with (mechanical\$2 mov\$4 translat\$3 convey\$3 belt\$4 roll\$3 rotat\$3))	US-PGPUB	OR	ON	2008/06/25 13:56
S24	138	((protect\$3 cover\$3) with (dielectric insulat\$3 sheet film coat\$3) with (electrode cathode anode) with (mechanical\$2 mov\$4 translat\$3 convey\$3 belt\$4 roll\$3 rotat\$3)).clm.	US-PGPUB	OR	ON	2008/06/25 13:57
S25	269	maeda-kikuo\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:57
S26	174	toda-yoshiro\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:58
S27	159	fukazawa-koji\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 13:58
S28	3311	((118/723e) or (118/718) or (427/569) or (118/723r)).OCLS.	USPAT; USOCR	OR	OFF	2008/06/25 14:05
S29	1617	((118/723e) or (118/718) or (427/569) or (118/723r)).OCLS.	US-PGPUB	OR	OFF	2008/06/25 14:05

S30	12	S23 and S29	US-PGPUB	OR	ON	2008/06/25 14:05
S31	252	S25 not S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:43
S32	157	S26 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:43
S33	138	S27 not S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:51
S34	127	S33 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 14:51
S35	1	"2004353077"	DERWENT	OR	ON	2008/06/25 15:10
S36	7834	"konica minolta holdings". as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 15:11
S37	6238	((protect\$3 cover\$3 clean \$3) with (dielectric insulat \$3 sheet film coat\$3) with (electrode cathode anode) with (mechanical \$2 move moves moving movable moved translat \$3 convey\$3 belt\$4 roll\$3 rotat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 15:14
S38	1	S36 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 15:15

S39	6	S36 and ((electrode cathode anode) with (protect\$3 clean\$3 cover \$3) with (mechanical\$2 moving move movable moved moves translat\$3 convey\$3 belt\$4 roll\$3 rotat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/25 15:18
S40	0	("18and10").PN.	USPAT; USOCR	OR	OFF	2008/06/25 15:19
S41	0	S36 and S28	USPAT	OR	OFF	2008/06/25 15:19
S42	1	"2004353077"	JPO	OR	ON	2008/06/25 15:22
S43	2551	((protect\$3 cover\$3 clean \$3) with (dielectric insulat \$3 sheet film coat\$3) with (electrode cathode anode) with (transport\$3 mechanical\$2 mov\$4 translat\$3 convey\$3 belt \$4 roll\$3 rotat\$3))	USPAT	OR	ON	2008/07/01 15:42
S44	762	((protect\$3 cover\$3 clean \$3) with (dielectric insulat \$3 sheet film coat\$3) with (electrode cathode anode) with (transport\$3 mechanical\$2 mov\$4 translat\$3 convey\$3 belt \$4 roll\$3 rotat\$3))	JPO	OR	ON	2008/07/01 15:42
S45	410493	h011021\$.ipc. c23c016\$. ipc.	JPO	OR	ON	2008/07/01 15:43
S46	110	S44 and S45	JPO	OR	ON	2008/07/01 15:43
S47	50	S44 and plasma	JPO	OR	ON	2008/07/01 15:45
S48	82	S46 not S47	JPO	OR	ON	2008/07/01 16:50
S49	3737	118/723\$.cls. 118/718. cls.	USPAT	OR	ON	2008/07/01 17:34
S50	31	S43 and S49	USPAT	OR	ON	2008/07/01 17:34
S51	7846	"Konica Minolta Holdings". as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 17:42

S52	313	S51 and plasma	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 17:42
S53	853	(118/718).CCLS.	USPAT; USOCR	OR	OFF	2008/07/01 17:47
S54	81	((protect\$3 cover\$3 clean \$3) with (dielectric insulat \$3 sheet film coat\$3) with heat\$3 with (electrode cathode anode) with (transport\$3 mechanical\$2 mov\$4 translat\$3 convey\$3 belt \$4 roll\$3 rotat\$3))	JPO	OR	ON	2008/07/02 15:55
S55	1	"56005975"	DERWENT	OR	ON	2008/07/02 16:54
S56	0	"356005975"	DERWENT	OR	ON	2008/07/02 16:55
S57	8	"565975"	DERWENT	OR	ON	2008/07/02 16:56
S58	2	"56005975"	JPO; DERWENT	OR	ON	2008/07/02 16:56
S59	0	"630057503"	JPO; DERWENT	OR	ON	2008/07/02 16:59
S60	1	"88057503"	JPO; DERWENT	OR	ON	2008/07/02 16:59
S61	121	fukuda-tadaharu\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:03
S62	484	ogawa-kyosuke\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:04
S65	113	kitajima-nobuo\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:05

S66	703	S61 S62 S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:05
S67	139	S66 and (electrode cathode anode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:05
S68	483346	canon.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:18
S69	590	((protect\$3 cover\$3 clean \$3) with (dielectric insulat \$3 sheet film coat\$3) with heat\$3 with (electrode cathode anode) with (transport\$3 mechanical\$2 move moved moves moving movable translat\$3 convey \$3 belt\$4 roll\$3 rotat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:22
S70	26	S68 and S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/02 17:22
S71	107	((protect\$3 cover\$3 clean \$3) with (dielectric insulat \$3 sheet film coat\$3) with heat\$3 with (electrode cathode anode) with (transport\$3 mechanical\$2 move moved moves moving movable translat\$3 convey \$3 belt\$4 roll\$3 rotat\$3))	US-PGPUB	OR	ON	2008/07/02 17:25
S72	95	(protect\$3 cover\$3 clean \$3) with (dielectric insulat \$3 sheet film coat\$3) with polyester same (electrode cathode anode)	JPO	OR	ON	2008/07/02 17:44

S73	349	(protect\$3 cover\$3 clean \$3) with (dielectric insulat \$3 sheet film coat\$3) with polyester same (electrode cathode anode)	USPAT	OR	ON	2008/07/02 17:51
S74	27386	frequenc\$3 with intensit \$3	USPAT	OR	ON	2008/07/02 18:02
S75	1200	(118/723e).CCLS.	USPAT; USOCR	OR	OFF	2008/07/02 18:03
S76	54	S74 and S75	USPAT	OR	OFF	2008/07/02 18:04
S77	43993	(electrode cathode anode) with frequenc\$3	USPAT	OR	ON	2008/07/02 20:04
S78	224	"Konica Minolta Holdings". as.	USPAT	OR	ON	2008/07/02 20:05
S79	9	S77 and S78	USPAT	OR	ON	2008/07/02 20:05
S80	853	(118/718).CCLS.	USPAT; USOCR	OR	OFF	2008/07/02 20:20
S81	92	S77 and S80	USPAT	OR	ON	2008/07/02 20:20
S82	1200	(118/723e).CCLS.	USPAT; USOCR	OR	OFF	2008/07/02 20:24
S83	78	S82 and S80	USPAT	OR	ON	2008/07/02 20:24
S84	1200	(118/723e).CCLS.	USPAT; USOCR	OR	OFF	2008/07/03 16:56
S85	346	S84 and (roll\$3 cylindrical \$2 cylinder) with (anode cathode electrode)	USPAT	OR	ON	2008/07/03 16:56
S86	23101	(roll\$3 cylindrical\$2 cylinder) with (anode cathode electrode)	JPO	OR	ON	2008/07/03 17:12
S87	410493	h011021\$.ipc. c23c016\$. ipc.	JPO	OR	ON	2008/07/03 17:12
S88	1430	S86 and S87	JPO	OR	ON	2008/07/03 17:12
S89	529	S88 and (frequenc\$3 power)	JPO	OR	ON	2008/07/03 17:13
S90	1	"2003096569"	JPO	OR	OFF	2008/07/03 19:29
S91	3	"2003096569"	DERWENT	OR	OFF	2008/07/03 19:30
S92	1	2003-536472.NRAN.	DERWENT	OR	OFF	2008/07/03 19:30

S93	7847	"Konica Minolta Holdings". as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 19:35
S94	603	kondo-yoshikazu\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 19:36
S95	32	S93 and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 19:36
S96	104	S94 and (electrode cathode anode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 19:37
S97	85	S96 not S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 19:37
S98	1	("20020063537").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/03 19:40
S99	1	"05166595"	JPO	OR	OFF	2008/07/03 19:42
S100	2	"2002158219"	JPO	OR	OFF	2008/07/03 19:42
S101	1	"02065820"	EPO; DERWENT	OR	OFF	2008/07/03 19:48
S102	5	oishi-kiyoshi\$.in.	EPO; DERWENT	OR	OFF	2008/07/03 19:54
S103	1084	mizuno-ko\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 19:55
S104	132	oishi-kiyoshi\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 19:55

S105	15	S104 and S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 19:56
S106	20	S103 and S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 19:56
S107	2	((("7166335") or ("6759100"))).PN.	USPAT; USOCR	OR	OFF	2008/07/03 20:01
S108	0	morihoshi-yasuo\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 20:02
S109	54	morohoshi-yasuo\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 20:03
S110	143	nishiwaki-akira\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 20:04
S111	13	S93 and S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 20:04
S112	2	"10280156"	USOCR; JPO	OR	OFF	2008/07/03 20:05
S113	1	"62037376"	USOCR; JPO	OR	OFF	2008/07/03 20:06
S114	2	"2003229299"	DERWENT	OR	OFF	2008/07/10 15:03
S115	1	2003-883312.NRAN.	DERWENT	OR	OFF	2008/07/10 15:04
S116	1	"63136525"	JPO	OR	OFF	2008/07/10 15:09
S117	1	"08167612"	JPO	OR	OFF	2008/07/10 15:11
S118	1	"56005975"	DERWENT	OR	OFF	2008/07/10 16:34

7/21/2008 10:34:24 AM

C:\Documents and Settings\ACrowell\My Documents\EAST\Workspaces\10-807774 running
length with electrode protective layer.wsp